

GB

GENERAL SAFETY RECOMMENDATIONS

- Please read this manual prior to using the unit.
- Keep the manual for further reference.
- Keep the original packaging to ensure safe transport of the unit.
- For 3 TJETBT1 0 0 1 370.110l us]TJT1 oBT1agys dcy e-10(0ua)4(l)5(e-9(i)1 258.41 704.26 Tm[)#7.85ETBT1 0 0

MIRROR BALL

Mounting the Colour Wheel

- Unscrew the nut and the first tooth ring from the fixation axle of the colour wheel motor.
- Remove the foil of the colour wheel.
- Slip the colour wheel onto the fixation axle of the motor
- Slip the tooth ring first and then the nut onto the fixation axle.
- Fasten the nut without damaging the colour wheel.
- Fix the colour wheel with motor via the fixation on the motor to the pin spot housing and tighten the screw.

Rigging

- Mount the Pin spot with the mounting-bracket to your trussing system using an appropriate clamp. The hole in the mounting bracket has a die

NL

ALGEMENE VEILIGHEIDSVOORSCHRIFTEN:

SPIEGELBOL

F

LA BOULE A FACETTES

Montage du Projecteur

-

SPIEGELKUGEL

EINBAU IN PRIVATEN RÄUMEN

- WARNUNG: Der Fall von Spiegelkugeln kann ernsthafte Verletzungen verursachen !!
- Spiegelkugeln dienen zum Schaffen von dekorativen Lichteffekten unter Einwirkung einer geeigneten Lichtquelle.
-

Anbringen des Farbrades

-

DK

Tekniske data:

SPEJLKUGLE MOTOR

Strømforsyning: